	Application No.	Applicant(s)
Alada a RANA a abilita	10/700,825	BAN ET AL.
Notice of Allowability	Examiner	Art Unit
	Quana M. Grainger	2852
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>1-21-2005</u> .		
2. The allowed claim(s) is/are <u>16-23</u> .		
3.  The drawings filed on <u>11-05-2003</u> are accepted by the Examiner.		
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some* c)  None of the:  1.  Certified copies of the priority documents have been received.</li> <li>2.  Certified copies of the priority documents have been received in Application No. 09/536,303.</li> <li>3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul> Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements		
noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. ☑ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☐ Examiner's Amendn	e

Application/Control Number: 10/700,825 Page 2

Art Unit: 2852

## REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

The claims are allowable over the prior art of record because the prior art does not teach or suggest a toner supply container detachably mountable to an image forming apparatus, said toner supply container comprising a container body for containing toner; a shutter for closing and opening an opening which is provided in said container body, said shutter including a first gear portion for meshing engagement with a first gear member, which is provided in the image forming apparatus; a rotatable member, which is rotatable relative to a main body of said toner supply container to produce a driving force for opening and closing said shutter, said rotatable member including a second gear portion for meshing engagement with a second gear member, which is provided in the image forming apparatus, said first gear member and said second gear member being rotatable together; and a projection, which is provided on said rotatable member, for receiving a force for pre-rotating said rotatable member through a predetermined angle in a direction of opening said shutter, from the image forming apparatus in response to a mounting operation of said toner supply container to the image forming apparatus, wherein said rotatable member is rotatable through a predetermined angle in a direction of closing said shutter from a position at which said first gear portion is in meshing engagement with the first gear member, and wherein said projection enables disengagement between said first gear portion and the second gear member so as to substantially prevent said second gear portion from rotating the second gear member in a dismounting operation of said toner supply container from the image forming apparatus.

Application/Control Number: 10/700,825 Page 3

Art Unit: 2852

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## **Contact Information**

Any inquiry concerning this communication or earlier communications from the
examiner should be directed to Quana M. Grainger whose telephone number is 571-272-2135.
 The examiner can normally be reached on 8am-6pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Arthur Grimley can be reached on 571-272-2136. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Quana M Grainger Primary Examiner

Art Unit 2852